

TABLE 1 *Register of graves containing more than one individual*

| Pit no. | Exc. Year | Number of bodies in grave | Individual no. | Position of bodies |
|---------|-----------|---------------------------|----------------|--|
| — | 2006 | 2 | 7 & 11 | Side by side |
| 11653 | 2007 | 2 | 27a & 27b | Overlying |
| 11694 | 2008 | 2 | 41 & 42 | Overlying |
| 12069 | 2008 | 2 | 44 & 45 | Overlying |
| 12063 | 2008 | 3 | 48, 49 & 50 | Side by side |
| 12161 | 2008 | 2 | 60 & 61 | Side by side |
| 12145 | 2008 | 2 | 64 & 65 | Side by side |
| 12123 | 2008 | 2–4 | 67a, b, c, d | Side by side, possibly partially overlying |

TABLE 2 *2008 South Tombs Cemetery basic burial information*

| Name | Age | Sex | Stature (cm) | Pathology and Comments |
|------|-------------|-----|--------------|---|
| I40 | 35–44 | F | 154.10 | Cribriform orbitalia, spinal arthritis, ulna frax, heavy oa |
| I41 | 12 | n/a | | Cribriform orbitalia |
| I42 | 17–19 | M? | 163.70 | Spondylolysis, spina bifida |
| I43 | 40–50 | F | 151.50 | Spinal arthritis, Schmorl's Nodes, lumbar vert compression frax, ulna frax, periostitis on tibia, heavy oa |
| I44 | 1.4 ± 6 mo | n/a | | |
| I45 | 6.5 ± 2 yr | n/a | 133.51 | Cribriform orbitalia |
| I46 | 9 mo | n/a | | |
| I47 | 20–25 | F | 148.38 | Cribriform orbitalia, spina bifida |
| I48 | 35–45 | F | 160.89 | Spinal arthritis, 2 rib frax, oa shoulder, oa knees, oa feet |
| I49 | 40–45 | F | 163.23 | Cribriform orbitalia, humerus frax, osteochondritis dessicans |
| I50 | 9 mo ± 3 mo | n/a | | Cribriform orbitalia |
| I51 | 10–14 | n/a | 147.78 | Spinal arthritis, spina bifida |
| I52 | 20–30 | F? | 150.83 | Spinal arthritis, rib frax |
| I53 | 20–24 | M | 154.44 | Porotic hyperostosis, periostitis on femora and tibiae, oa humerus |
| I54A | 1 yr ± 3 mo | n/a | | |
| I54B | Adult | n/a | | Spinal arthritis |
| I55 | Adult | F | 147.31 | Spinal arthritis, ulna frax |
| I56 | Adult | M | 166.17 | Spinal arthritis, spondylolysis, rib frax, clavicle frax, oa-feet |
| I57 | 16–20 | M? | 171.70 | Spinal arthritis, sacral frax, humerus lesion |
| I58 | 30–35 | M | 159.63 | Porotic hyperostosis, spinal arthritis, spondylolysis, Schmorl's Nodes, clavicle enthesopathy |
| I59 | 35–39 | M | 167.07 | Porotic hyperostosis, spinal arthritis, multiple rib fractures, pelvic fractures (possible projectile trauma), fatal pelvic lesions |
| I60 | 2 yr ± 8 mo | n/a | | Cribriform orbitalia |
| I61 | 25–35 | F | | Spinal arthritis, fibula frax, os coxa frax |

| | | | | |
|---------|-----------|-----|--------|---|
| I62A/7 | 22–24 | M | | Frax on occipital condyle |
| I62B/11 | 45–50 | F | 152.30 | Cribrā orbitalia, Porotic hyperostosis, spinal arthritis, spondylolysis, rib frax, op, heavy oa |
| I62C | 4.5–5 | n/a | | |
| I63 | 45–50 | F | 165.07 | |
| I64 | 12 | n/a | 143.94 | Cribrā orbitalia |
| I65 | 40–45 | F | 149.42 | Ulna frax |
| I66 | 24–30 | M | 164.59 | |
| I67A | 9–12 | n/a | | Cervical vert frax |
| I67B | Perinate | n/a | | |
| I67C | 17–20 | n/a | | |
| I67D | Old adult | n/a | | Spinal arthritis, Schmorl's Nodes, rib frax, oa |
| I68 | 25–30 | F | | Toe frax |
| I69A | 40–45 | F | | Spinal arthritis, multiple rib frax, ulna frax, oa all over |
| I69B | 5.56 | n/a | | |
| I70 | Adult | F | | Spinal arthritis, ulna frax, finger frax, fibula frax, oa |
| M11218 | Adult | n/a | | |
| M12107 | Adult | n/a | | |
| M12140 | Adult | n/a | | |

Abbreviations: frax=fracture, oa=osteoarthritis, op=osteoporosis, vert=vertebra

TABLE 3 *Pre-2008 South Tombs Cemetery basic burial information*

| Name | Age | Sex | Stature (cm) | Pathology and Comments |
|-------|-----------|-----|--------------|--|
| I05.1 | 30–35 | F | 144.51 | rib fracture |
| I05.2 | 18–24 | F | 156.03 | |
| I30 | 6 ± 24 mo | n/a | | |
| I32B | 18–20 | n/a | | |
| I32C | 10 | n/a | | |
| I35 | 15–22 | n/a | 143.88 | Cribrā orbitalia |
| I36 | 20–25 | M | 165.50 | Cribrā orbitalia, spinal arthritis, rib fracture, periostitis on tibia |